11. REFERENCES:

Al-Barakati, S.F. (2011) Expectation of patients attending academic orthodontic clinic at King Saud University, Saudi Arabia: A questionnaire approach. Journal of Pakistan Dental Association, 20(2), pp.77-82

Berk, N.W. et al (2001) Social anxiety in Chinese adults with Oral- Facial Clefts. Cleft Palate Craniofacial Journal, 38(2), pp. 126-133.

Boyce, M.W. (1979) Physical atrractiveness – asource of teacher bias?. Australian Journal of Teacher Education, 4(1), pp. 41-44.

Broder, H.L.(1997) Psychological research of children with craniofacial anomalies: Review, critique and implications for the future. Cleft Palate Craniofacial Journal, 34(5), pp.402-404.

Da Silva, D.G., Costa, B.,Gomide, M.R. (2006) Prevalence of dental anomalies , ectopic eruption and associated oral malformations in subjects with Treacher Collins syndrome. Oral Surg Oral Med Oral Pathol Oral Radiol Endod, 101(5), pp. 588-592.

Da Silva, A.P., Costa, B., De Carvalho-Carrara, C.F.(2007) Dental anomalies of number in the permanent dentition of patients with bilateral cleft lip: radiographic study. Cleft Palate Craniofacial Journal, 45(5), pp. 473-476.

De Sousa, A., Devare,S., Ghanshani, J. (2009) Psychological issues in cleft lip and cleft palate. J Indian Assoc Pediatr Surg, 14(2), pp. 55-58.

De Oliveria-Bastos, P.R.H., Gardenal, M., Bogo, D.(2008) The social adjustment of bearers of craniofacial abnormalities and the humanist praxis. Intl. Arch. Otorhinolaryngol., 12(2), pp. 280-288.

Duggal, R., Bansal, S. (2010) expectations from orthodontic treatment patient/parent perspective. Journal of Clinical and Diagnostic Research, 4(1), pp 3648-3653.

Endriga, M.C., Kapp- Simon, K.A. (1999) Psychological Issues in Craniofacial Care: State of the Art. Cleft Palate Craniofacial Journal, 36(1), pp.3-11.

Hariss, D.L.(1982) The symptomatology of abnormal appearance: an anecdotal survey. British Journal of Plastic Surgery, 35(1), pp. 312-323.

Harris, D.L., Carr, A.T. (2001) The Derriford appearance scale (DAS59): a new psychometric scale for the evaluation of patients with disfigurement and esthetic problems of appearance. British Journal of Plastic Surgery, 54(1), pp. 216-222.

Kenealy, P.M. et al (20070 The Cardiff dental study: A 20 year critical evaluation of the psychological health gain from orthodontic treatment. British Journal of Health Psychology, 12, pp.17-49

Klages, U. et al. (2006) Development of a questionnaire for assessment of the psychosocial impact of dental aesthetics in young adults. European Journal of Orthodontics, 28(1), pp.103-111.

Krueckeberg, S.M., Kapp-Simon, K.A., Ribordy, S.C.((1993) Social Skills of Preschoolars with and without Craniofacial anomalies. Cleft Palate Craniofacial Journal, 3(5), pp. 475-481.

Leonard, B.J. et al (1991) Self concept of children and adolescents with cleft lip and /or palate. Cleft Palate craniofacial journal, 28(4), pp. 347-353.

Little, A.C., Burt, M.D., Perrett, D.I.(2006) What is good is beautiful: Face preference reflects desired personality. Personality and Individual differences, 41, pp. 1107-1118.

Lorenzzaoni, D., Carcereri, D.L., Locks, A. (2010) The importance of multi- professional, interdisciplinary care in rehabilitation and health promotion directed at patients with cleft lip/palate. Rev. odonto cienc, 25(2), pp. 198-203.

Maddern, L.H., Cadogan, J.C., Emerson, M.P. (2006) 'Outlook': A psychological service for children with a different appearance. Clinical Child Psychology and Psychiatry, 11(3), 431-443.

Menezes, R., Vieira, A.R.(2008) Dental anomalies as part of cleft spectrum. Cleft Palate Craniofacial journal, 45(4), 414-419.

Noar, J.E.(1991) Questionnaire survey of attitudes and concerns of patients with cleft lip and palate and their parents. Cleft Palate Craniofacial Journal, 28(3), pp. 279-284

Okkerse, J.M.E. et al (2001) Facial attractiveness and facial impairment ratings in children with craniofacial malformations. Cleft Palate Craniofacial journal, 38(4), pp. 386-392.

Padwa, B.L., Evans, C.A., Pillemer, F.C. (1991) Psychosocial adjustment in children with hemifacial microsomia and other craniofacial deformities. Cleft palate Craniofacial Journal, 28(4), pp. 354-359.

Rappaport, T.G., Shalish, M.H., Gazil, E. (2010) Psychosocial reward of orthodontic treatment in adult patients. European Journal of Orthodontics, 32(1), pp 441-446.

Rosser, B.A., Moss, T., Rumsey, N.(2010) Attentional and interpretative biases in appearance concern: An investigation of biases in appearance realted information processing. Body Image, 7, 251-254.

Sayers, M.S., Newton, J.T. (2006) Patient's expectation of orthodontic treatment: part 1 – development of a questionnaire. Journal of Orthodontics, 33, pp 258-269.

Schute, R., McCarthy, K.R., Roberts, R. (2007) Predictors of social competence in young adolescents with craniofacial anomalies. International Journal of Clinical and Health Psychology, 7(3), pp 595-613.

Speltz, M.L. (1997) Editorial: Progress and limitations in the psychological study of craniofacial anomalies. Journal of Pediatric Psychology, 22(4), pp 433-438

Strauss, R., Broder, H.((1991) Directions and issues in psychosocial research and methods as applied to cleft lip and palate and craniofacial anomalies. Cleft Palate Craniofacial Journal, 28(2), pp 150-156.

Synder, H.T., Bilboul, M.J., Pope, A.W. (2005) Psychosocial adjustment in adolescents with craniofacial anomalies: A comparison of parents and self reports. Cleft Palate Craniofacial Journal, 42(5), pp 548-555.

Tannure, P.N. et al (2012) Prevalence of dental anomalies in nonsyndromic individuals with cleft lip and palate: a systematic review and meta analysis. Cleft Palate Craniofacial Journal, 49(2), pp 194-200.

Thomas, P.T. et al (1997) Satisfaction with facial appearance among subjects affected by cleft. Cleft Palate Craniofacial Journal, 34(3), pp. 226-231

Turner, S.R., Rumsey, N., Sandy, J.R. (1998) Psychological aspects of cleft lip and palate. European Orthodontic Journal, 20, pp. 407-415.

Van den Elzen, M.E.P. et al (2012) Adults with congenital or acquired facial disfigurement: Impact of appearance on social functioning. Journal of Cranio-Maxillofacail-Facial Surgery,in press.

Versnel, S.L. et al (2010) Satisfaction with facial appearance and its determinants in adults with severe congenital facial disfigurement: A case-referent study. Journal of Plastic, Reconstructive & Aesthetic Surgery, 63, pp 1642-1649.

Vettore, M.V., Sousa- Campose, M.V. (2011) Malocclusion characteristics of patients with cleft lip and /or palate. European Journal of Orthodontics, 33(3), pp 311-317.

World Health Organization (2002) Global strategies to reduce the health-care burden of craniofacial anomalies. France: Publication of the world health organization, pp.4-13